

FIG.1

mobile node composes and sends registration request with NAT and sub-NAT on what Section FA receives and forwards registration performs authorization is jed upon NAIT, composed with Its alignments reply with Its areas and reply the registration reply to the registration reply redy and forwards the registration reply to the registration reply to the the mobile node so that it can map the session address to the session 308

FIG.3





FIG. H

Foreign Agent receives registration request sub-NAT extensions

Foreign Agent sends the registration request to thome Agent sends to thome Agent

FIG.5

21073




MAN

K308 receive receives regiment of the and subject of extensions Foreign Agent Creates table as necessary Foreign Agent sends registration reply To mobile node Mobile Node maps IP address to session (NAT and sub-NAT)
using information in registration

FIG. 73

TOPS



FIQ: 8




Fig. 9



	$\overline{\mathcal{V}}$	ndal ity	Birdi	79.7	able	
		1002	الر	1	100	
	k) -	اس المنسر	ا مراجع مستحدد و المراجع	. 14)	(3)
,	;					
					*	
2004	الم	1 2101	واے طاق	08	~ 10	010
UNI	S22	sessión The address	correct	<i>i</i> 2	Tunnel	
		*	×		X	

F16,10

1093

	1102 -1102	mor table	3	na gria
	The state of the s		*	<u>Linguis</u>
	· · · · · · · · · · · · · · · · · · ·		Alexander of the second	A.
را الر آما الم	١١٥٤م ٢	مارا مارا	_1108	~11(D)
NAI	SUD-NAI	Jessin IP address	Home Agent 1Pada	Interface - Tunnel to

F19, 11

.

Fors






Figure 12